

Web Images Maps News Shopping Gmail more ▾

Sign in

Google

"access control entry" OR ace OR "acl entry" callback OR "call back" OR "c

Search

Web Results 1 - 50 of about 10,200 for "access control entry" OR ace OR "acl entry" callback OR "call back

Authorization Structures (Windows)

This ACE allows a callback function to be called during access check. ...

SYSTEM_MANDATORY_LABEL_ACE, Defines an access control entry (ACE) for the system ...

[msdn.microsoft.com/en-us/library/aa375780\(VS.85\).aspx](https://msdn.microsoft.com/en-us/library/aa375780(VS.85).aspx) - 32k - Cached - Similar pages

AuthzInitializeResourceManager Function (Windows)

A pointer to the AuthzAccessCheckCallback callback function that the resource manager calls each time it encounters a callback access control entry (ACE) ...

[msdn.microsoft.com/en-us/library/aa376313\(VS.85\).aspx](https://msdn.microsoft.com/en-us/library/aa376313(VS.85).aspx) - 35k - Cached - Similar pages

[More results from msdn.microsoft.com »](#)

System and methods for caching in connection with authorization in ...

The applicability of a dynamic callback ACE is determined by two applicability ACE, the application-defined dynamic access check callback function 416, ...

www.patentstorm.us/patents/7096367-description.html - 63k - Cached - Similar pages

APPARATUS, METHODS, AND COMPUTER PROGRAM PRODUCTS FOR NETWORK ...

A computer implemented method and a computer program product includes a first ... callback functions are created 47 pursuant to registration of ACE access ...

www.patentstorm.us/patents/6584764-description.html - 56k - Cached - Similar pages

System and methods for caching in connection with authorization in ...

If the DACL in the input security descriptor 432 contains a callback ACE with a ... ACE, the application-defined dynamic access check callback function 416 ...

www.freepatentsonline.com/7096367.html - 77k - Cached - Similar pages

Code Search: AuthZ.h from bccSDK at Krugle

Callback access check function takes in // AuthzClientContext - a client context // pAce - pointer to a callback ace // pArgs - Optional arguments that were ...

www.krugle.org/examples/p-P8HvnhPYgrqIPWZ/AuthZ.h - Similar pages

DeriveKey

The credentials and ACL entry prototype can be presented as immediate values or callback functions can be provided for use by the CSP to acquire the ...

www.openvms.compaq.com/dcc/83final/BA554_90006/m01re108.html - 29k -

Cached - Similar pages

SfR Fresh: [brutus-0.9.33.tar.gz] Member main.cpp (brutus ...

Brutus source file implementing the main() function. goto exit; //) // load password and setup a callback function to answer password queries ...

www.sfr-fresh.com/ux/private/brutus-0.9.33.tar.gz:brutus/NT_Service/main.cpp - 32k -

Cached - Similar pages

Using JAAS for Authorization and Authentication

This approach works just fine for a sample application. The LogonAction class does all of the authentication in the perform method. ...

www.mooreds.com/jaas.html - 49k - Cached - Similar pages

[Security for distributed object-oriented systems - DARPA ...](#)
authorization function with the DAFWA Information. Assurance program's Cyber Command System callback method that the bean must implement. Source ...
ieeexplore.ieee.org/iel5/7416/20170/00932221.pdf?arnumber=932221 - Similar pages

[Combining Static and Dynamic Analysis for Automatic Identification ...](#)

A library callback is a method invocation alyzer of ACE for authorization- and privilege-assertion- ... each application, it shows the following: ...
ieeexplore.ieee.org/iel5/4412959/4412960/04412997.pdf?tp=&arnumber=4412997&isnumber=4412960 - Similar pages

[PDF] [Using jLock's Java Authentication and Authorization Service \(JAAS\) ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
ace.printStackTrace();. } Code to protect access to the "Salary" code. It is that simple to add authorization to your application. ...
www.2eb.com/pdf/JAAS.pdf - Similar pages

[Copyright \(c\) 2004-2005 Sergey Lyubka <valenok@gmail.com> * All ...](#)

This structure holds a * registered URI, associated callback function with ... user name */ union variant auth; /* Authorization */ union variant useragent; ...
trac.transmissionbt.com/browser/trunk/third-party/shttpd/defs.h?format=raw - 12k -
[Cached](#) - Similar pages

[/trunk/third-party/shttpd/defs.h - Transmission - Trac](#)

83; * registered URI, associated callback function with callback data. 282; * IPv4 ACL entry. Specifies subnet with deny/allow flag ...
trac.transmissionbt.com/browser/trunk/third-party/shttpd/defs.h - 79k -
[Cached](#) - Similar pages

[PDF] [The i2e Image Enhancement Library C_INT.dll API Reference Manual](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
For Type A authorization pass the applicationID and password Same as i2E_ProcessImage, but with a callback function indicating the processing ...
www.colour-science.com/technology/i2E%20API%20Reference.pdf - Similar pages

[*-C++-* */ #ifndef SNMPERRS_H_ #define SNMPERRS_H_ ...](#)

... Undo Failed", // 15 "SNMP: Cannot perform operation, Authorization Error", ... 13
SNMP_CLASS_INVALID_CALLBACK "ASNMP: Invalid (null) Callback function", ...
www.dre.vanderbilt.edu/~schmidt/DOC_ROOT/ACE/ASNMP/asnmp/snmperrs.h - 9k -
[Cached](#) - Similar pages

[Index \(AXL RADIUS Server Examples\)](#)

changeResponse(ProxyInfo) - Method in class ProxySlashRealm This is a small test of the callback handler that can be used with the RSA ACE client. ...
www.axlradius.com/serverdocs/docs/exampledocs/index-all.html - 104k -
[Cached](#) - Similar pages

[/] [LINKMATRiX.de: XMLHTTPREQUEST Open Education Search](#)

AJAX Client Engine (ACE) is a JavaScript component that makes it easy to ... The user can have the component pass any object to the callback function: ...
www.linkmatrix.de/tutorials.php?q=XMLHTTPREQUEST - 134k - [Cached](#) - Similar pages

[InformIT: Cisco Access Control Security: AAA Administration ...](#)

Application Commands. Session Management Commands. AR's Server Object Hierarchy. Configuring the ACE ISP as a Basic Site. Configuring AR's Administrators. ...
www.informit.com/store/product.aspx?isbn=1567051249 - 31k - [Cached](#) - Similar pages

Programmatic Login in OC4J ...

Did you find a way to programmatically call OC4J authorization ? ... The only method specified by CallbackHandler is the handle(Callback[]) ...
forums.oracle.com/forums/thread.jspa?threadID=382896 - 66k - Cached - Similar pages

Leveraging Application Frameworks

For example, application developers should understand the callback points in a ... Event dispatching latency—the time taken by a framework to call back ...
portal.acm.org/citation.cfm?doid=1016098.1017005 - Similar pages

Keychain Services Reference

If the application is not trusted, but there is an ACL entry for that operation, A pointer to your keychain event callback function, described in ...
developer.apple.com/documentation/Security/Reference/KeychainServices/index.html - 401k - Cached - Similar pages

Security for Distributed Object-Oriented Systems

callback method that the bean must implement. Source: beans provide a method that allows as a function of application time, we inserted a "wait" ...
doi.ieeecomputersociety.org/10.1109/DISEX.2001.10005 - Similar pages

CodeProject: The Windows Access Control Model Part 4, Free source ...

Optionally, you can supply a callback function that you can use to receive This method enables the ACL editor to show where an inherited ACE came from. ...
www.codeproject.com/KB/winsdk/accessctrl4.aspx - 198k - Cached - Similar pages

Nico's blog

For example, gss_init_sec_context(3GSS) should have an option to work asynchronously, probably using a callback function to inform the application of ...
blogs.sun.com/nico/ - 122k - Cached - Similar pages

[PDF] Supplier Evaluation for Part Procurement Using ISA

File Format: PDF/Adobe Acrobat - View as HTML
so forth. Call back function is necessary for following different task. a) To get one or more request we require at least one get callback function. ...
balaasaheb.darade.googlepages.com/ISCCL.pdf - Similar pages

Doug Seven's Blog :

Implementing a SQL Server 2000 Desktop Engine Callback Function ... I am sending a call out to all SQL Server User Group members. ...
www.dotnetjunkies.com/WebLog/dougseven/archive/category/2376.aspx - 95k - Cached - Similar pages

JSPWiki: Security 2.3 Wish List

Authentication and first pass authorization is already finished when the servlet and see if each ACL entry is implied by, or implies, any other. ...
jspwiki.org/wiki/Security2.3WishList - 35k - Cached - Similar pages

[PDF] NetOp Remote Control - Version 8.0

File Format: PDF/Adobe Acrobat - View as HTML
You can set up this feature to call back to a fixed address or to a Guest controlled address, which, is known as roving callback. ...
[www.netop.com/media\(2686,1033\)/NetOp_Remote_Control_Security_Whitepaper.pdf](http://www.netop.com/media(2686,1033)/NetOp_Remote_Control_Security_Whitepaper.pdf) - Similar pages

Nynaeve » 2007» May

May 9, 2007 ... The way it works is that as MiniDumpWriteDump is writing the dump, it will

call the callback function you supply a number of times to query ...

www.nynaeve.net/?m=200705-58k - Cached - Similar pages

Adobe - Developer Center : Creating more secure SWF web applications

The loadPolicyFile function can be misused as a method for sending a ... the registered callback function should validate the data that is received. ...

www.adobe.com/devnet/flashplayer/articles/secure_swf_apps_09.html - 56k -

Cached - Similar pages

CRM Expert Online - Search

SAP standard class to get the URL for the BSP application CALL METHOD ... In transaction CRMV_EVENT, click on the Object Function/Callback button in the ...

www.crmexpertonline.com/search.cfm?crm=yes&q=abap - 32k - Cached - Similar pages

Software Download: Mime

BlackWidow is a multi-function internet tool and a great webmaster tool. Ace Password Sniffer can listen on your LAN and enable network administrators ...

www.sharewareconnection.com/titles/mime2.htm - 81k - Cached - Similar pages

[PDF] Frameworks: Why They Are Important and How to Apply Them...

File Format: PDF/Adobe Acrobat - View as HTML

framework to callback application handlers when events arrive. Synchronization latency, which is Volume 2: Systematic Reuse with ACE and Frameworks. ...

www.cs.wustl.edu/~schmidt/PDF/Queue-04.pdf - Similar pages

Catalyst 6500 Series Software Configuration Guide, 8.6 ...

Note For information on configuring authentication, authorization, is mapped to a port/port-VLAN with this access control entry (ACE) redirects all the ...

www.cisco.com/en/US/docs/switches/lan/catalyst6500/cato5r6/x/configuration/guide/web_auth.html

- 104k - Cached - Similar pages

Syllable Desktop Resource Packages

Libsigc++ implements a typesafe callback system for standard C++. It allows you to define signals and to connect those signals to any callback function, ...

web.syllable.org/pages/resources.html - 122k - Cached - Similar pages

Lee Farah

This solution allowed internal applications to function properly over VPN. ... BEA Weblogic application server authentication/authorization login and ...

www.lafib.com/resume.html - 25k - Cached - Similar pages

quoteunquote | anil bawa cavia

We blasted these through it and it sounded ace. Computes the intersection of arrays with additional index check, compares data by a callback function ...

www.quoteunquote.net/archives/observation/ - 53k - Cached - Similar pages

Microsoft C Structure, enumeration, macro and type definition used ...

Access-allowed callback ACE that uses the ACCESS_ALLOWED_CALLBACK_ACE structure. Each structure contains the LUID and attributes of a privilege. ...

www.tenouk.com/chijksupptwo.html - 434k - Cached - Similar pages

Ace Magazine/

As reported in ACE (October 98), Lexington-based Sovereign Publications and ... had invested several thousand dollars for the privilege, in quite a lurch. ...

www.aceweekly.com/acemag/backissues/990331/coverstory990331.html - 29k -

Cached - Similar pages

(WO/2005/064496) CLIENT-SIDE SECURITY MANAGEMENT FOR AN OPERATIONS ...

Owners may designate Control Points 618, which according to their corresponding ACL entry 620 are granted less than full ownership privilege. ...
www.wipo.int/pctdb/en/wipo.jsp?IA=WO2005064495&DISPLAY=DESC - 48k -
Cached - Similar pages

Small Values of Cool: March 2003 Archives
This is one of those nasty functions which wants a callback function Lastly, since Mike Bruce is one of the nicest people I've had the privilege to ...
www.brunningonline.net/simon/blog/archives/2003_03.html - 63k - Cached - Similar pages

BPSoftware.com Blog
The same callback function can be called with different 'custom function' references
Each ACE contains the authorization information for a Trustee. ...
www.bpsoftware.com/blog/labels/WIN32.html - 148k - Cached - Similar pages

[PDF] Raven CDMA Manual
File Format: PDF/Adobe Acrobat - View as HTML
Products may not be returned without prior authorization. configured using the Wireless Ace 3G program prior to installation. ...
www.campbellsci.ca/Catalogue/RAVEN_CDMA_Man.pdf - Similar pages

Perimeter Authentication via Identity Assertion @ WEBLOGIC JOURNAL
In some of the typical corporate Web application security deployments, ... handle() method then generates the appropriate CallBack to obtain the requested ...
weblogic.sys-con.com/read/46218.htm - 78k - Cached - Similar pages

Why Do Certain Win32 Technologies Misbehave in Windows NT Services ...
It requires a unique entry point and a callback function. The first method is to grant the privilege manually via the User Manager application. ...
www.microsoft.com/msj/0396/service2.aspx - 62k - Cached - Similar pages

JBoss Security Integration Guide
package org.jboss.security.authorization; import java.util.Map; import
javax.security.auth.Subject; import javax.security.auth.callback. ...
www.jboss.org/file-access/default/members/jbosssecurity/freezezone/releases/guide/2.0.1.GA/jbosssecurity.html - 70k -
Cached - Similar pages

[CalendarServer-changes] [1446] CalendarServer/trunk/twistedcaldav
+ @param request: the L{Request} for the current request in progress + @param okcallback:
a callback function used on all resources that pass the privilege ...
lists.macosforge.org/pipermail/calendarserver-changes/2007-April/001399.html - 34k -
Cached - Similar pages

Free C++ Projects
An application can dynamically link to libferris in order to see the file and exchange of authentication, attribute, and authorization data as XML. ...
wikicompany.org/its/c++.html - 51k - Cached - Similar pages

The PRIMA Grid Authorization System
PRIMA, a system for PRivilege Management and Authorization, provides enhanced Grid security authorization call-out interface is specified. Together ...
www.splinterlink.com/index/W43074225X152516.pdf - Similar pages

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

Web Images Maps News Shopping Gmail more

Sign in

Google

"access control entry" OR ace OR "acl entry" callback OR "call back" OR "c

Search

Web Results 51 - 100 of about 10,200 for "access control entry" OR ace OR "acl entry" callback OR "call ba

Framework API for Task Management and Protocol State Machines ...

This program includes the test for Diameter EAP application where EAP Identity method is performed either between a peer and a NAS (Case 1) or between the ...

diameter.sourceforge.net/framework/index.html · 63k · Cached · Similar pages

/CalendarServer/trunk/twistedcaldav/static.py - CalendarServer - Trac

316, calling the callback function for each regular file 957,
twistedcaldav.method.copymove.CalDAVFile = CalDAVFile. 958,
twistedcaldav.method.delete ...

trac.calendarserver.org/browser/CalendarServer/trunk/twistedcaldav/static.py?rev=245 · 263k · Cached · Similar pages

BorderManager Authentication Services 3

BMAS provides authentication, authorization, and accounting services for ... is an application that augments the capabilities and security of BorderManager ...

support.novell.com/techcenter/articles/dnd19990504.html · 22k · Cached · Similar pages

Technical Updates (by: TACKtech Team) [Page: 329 of 344 ...

Now, with Nero 5.5, the world's premiere recording application has gotten even ... and it can be used to cause a process to run a timer callback function. ...

ftp.tacktech.com/poster.cfm?subtype=tech&poster=TACKtech%
20Team&perpage=20&start=6561 · Similar pages

[PDF] Using JAAS for Authorization and Using JAAS for Authorization and ...

File Format PDF/Adobe Acrobat - View as HTML

authentication scheme, and passed a custom callback handler. Normally, ... allows other parts of the application to perform authorization checks ...

www.oese.ch:8000/fileupload/fi/downloadAction.do?fileId=1de5145-11c1-4014-b44a-
8f0de6ab15ec · Similar pages

Koders Code Search: cssmtype.h - C - IOSQL

The date and time for an ACL entry, a CSSM_TUPLE or an AuthCompute call is ... type defines the form of the callback function a service provider module can ...

www.koders.com/cfId97197E016969A29EDE6B76D3D6D4AECEB6AC8856.aspx ·
Similar pages

APPARATUS, METHODS, AND COMPUTER PROGRAM PRODUCTS FOR NETWORK ...

The field of this application relates to apparatus, methods, Accordingly, callback functions are created 47 pursuant to registration of ACE access ...

www.wikipatents.com/6594764.html · 142k · Cached · Similar pages

Primary Services (Enterprise JavaBeans)

While EJB 1.0 access control is based on Identity objects with a method driven organization, EJB 1.1 changed authorization to be based on Principal types ...

unix.org.ua/oreilly/java-ent/beans/ch03_02.htm · 83k · Cached · Similar pages

Oninit: Error Codes

-436 Call back function must be defined when time-out value is 0 or greater. -437

Connection must be established before registering callback function. ...

www.oninit.com/errorcode/index.php?page=emdx.php&dx=4 · 81k · Cached · Similar pages

[==Phrack Inc.== Volume 0x0b, Issue 0x3b, Phile #0x10 of 0x12 ...](#)

All the object manager related function for user-mode are exported by ntdll.dll. is NULL
Our new Ace (access-control entry) is Ace[0] with a 0x00000002 ...
[www.isl.cs.sunysb.edu/~dquigley/files/vista_security/p59-0x10_Playing_with_Windows_dev](#)
[\(k\)mem.txt - 67k - Cached - Similar pages](#)

Phrack Magazine

We know that in kernel-mode (ring0), there is a function called ... that enable a program to execute functions in higher privilege level than it is. ...

[www.phrack.org/issues.html?issue=59&id=10 - 83k - Cached - Similar pages](#)

Acegi Security

In Acegi Security we have a special name for the function of collecting ... You can elect to perform method authorization using AspectJ or AOP Alliance, ...

[www.acegisecurity.org/guide/springsecurity.html - 367k - Cached - Similar pages](#)

SCM Expert Online - Search

In the User group child field, enter the SAP Basis authorization role. ... In transaction CRMV_EVENT, click on the Object Function/Callback button in the ...

[www.scmexpertonline.com/search.cfm?session=&q=Sales&all=yes&page=6 - 33k - Cached - Similar pages](#)

Troubleshooting Information for Cisco Secure ACS

The user is not assigned to a group that has the correct authorization rights. the WindowsNT/2000 Server/control panel for the ACE/Client application. ...

[doc.trecom.tomsk.ru/cisco/ccrtd/doc/product/access/acs_solt/csacs4nt/csrnt30/user/ea.htm - 40k - Cached - Similar pages](#)

Entropy Solutions

A pipe permits application-level optimization of bulk data transfer by allowing ... A.

ACE/Server 23. Authentication method 12., 18. Callback functions 12. ...

[support.entropy.com/.../support.idq?CiRestriction=callback&CiSort=rank%5Bd%5D&TemplateName=support - 34k - Cached - Similar pages](#)

[PPT] [Complete - one product covers all Remote control across multiple ...](#)

File Format: Microsoft Powerpoint - View as HTML

This is independent of any RSA ACE/Server groups. Smart Card Authorization - the NetOp Security Server controls allowed actions for the authenticated ...

[www.knollenterprises.net/PDFs/KnollEnterprises.net_NRC60_Overview.ppt - Similar pages](#)

[MBR IT/.NET 247 : microsoft.public.dotnet.framework.interop ...](#)

I need to display Html I build on the fly inside my application. ... I understand conceptually that I need to tell the method about a callback routine so my ...

[www.dotnet247.com/v247reference/..._site76/2002/5/2 - 26k - Cached - Similar pages](#)

[PPT] [C++ Network Programming Systematic Reuse with ACE & Frameworks](#)

File Format: Microsoft Powerpoint - View as HTML

The original callback method calls a second method that blocks trying to The main() function is the same as the one we showed for the ACE Service ...

[www.cs.wustl.edu/~schmidt/C++NPv2.ppt - Similar pages](#)

RADIUS Client Programming Guide

The callback method DMCOACallBack, dmcoaCallback(int packetType, RSA's ACE server can handle RADIUS packets and uses normal PAP authentication using the ...

[www.axiradius.com/clientdocs/docs/RadClientGuide/ClientGuide.htm - 49k - Cached - Similar pages](#)

Technical documentation

EAP, choosing a method, Determining the EAP Authentication Method to Use; EAP, ... Local Authorization Server - authorization, Authorization Steps ...
docs.hp.com/en/T1428-90066/tx01.html - 59k - Cached - Similar pages

KVU Euchre Headquarters - Gameplay

It is a position of power, so choose your method wisely. After the game has begun, the privilege of the deal moves from player to player clockwise. ...
users.stargate.net/~keyz/euchregameplay.html - 14k - Cached - Similar pages

[Paper] Architecture of an IKEv2 Protocol Implementation

On the other hand, ACE [9] is a software framework for building network applications, It should be noted that in case of callback functions, ...
www.actapress.com/PDFViewer.aspx?paperId=31714 - Similar pages

About SailorSams.com / FAQ - SailorSam, Sailor Sam, Sailor Sams...

SOME of them (ABI Marine and Ace Dock in particular) may charge a restocking ... Note: You MUST request and include a Return Authorization "RA" number with ...
www.sailorsams.com/pages_misc/faq.htm - 48k - Cached - Similar pages

[PDF] Authorization Java Classes Developer Reference

File Format: PDF/Adobe Acrobat - View as HTML
PDPrincipal.getEntitlements method, which is equivalent to using the.
azn_entitlements_get_entitlements() function from a C application. Figure 4 shows ...
publib.boulder.ibm.com/infocenter/tivihelp/v2r1/topic/corn.ibm.itame.doc/am60_authJ_devref.pdf - Similar pages

Managing User Authentication and Authorization

Used only when service=shell and cmd=NULL. Boolean: priv_lvl, Privilege level to be assigned. 1 - 15. callback-dialstring, Number the NAS will call back. ...
www.cisco.com/univercd/cc/td/doc/product/access/ace_soft/cs_unix/csu212ug/ueegui.htm - 97k - Cached - Similar pages

JEDI Windows Security Code Library: JwscdSecureObjects: Class ...

The process can be observed by a callback method or function. ... redirection of keys for 32bit application is deactivated (TRUE) or activated (FALSE). ...
jwscd.doc.delphi-jedi.net/JwscdSecureObjects.TJwSecureRegistryKey.html - 105k - Cached - Similar pages

[PDF] Sept 00, Nortel Networks 5399 and 8000 Access Switch Version 9.0 ...

File Format: PDF/Adobe Acrobat - View as HTML
The PPP callback feature does not function under the following conditions: ... When using SecurID version 3.1.2, whether as an ACE proxy server or as a ...
www25.nortelnetworks.com/library/ipubs/pdf/remote/nas60/300862E00.PDF - Similar pages

[PDF] TransCrypt: A Secure and Transparent Encrypting File System for ...

File Format: PDF/Adobe Acrobat - View as HTML
'others' ACL entry for all files in the encrypted volume is set. to null permissions. encrypted data is read from the disk, the callback function ...
www.cse.uitk.ac.in/~moona/papers/ss2006.pdf - Similar pages

[PDF] VMS Authentication Module Administration and User's Guide

File Format: PDF/Adobe Acrobat - View as HTML
REC file must be obtained from the ACE/Server system or from another VMS VMSAuthenticate function, but also the callback functions that are supplied ...
www.process.com/vmsauth/docs/vam.pdf - Similar pages

SecurityWorldMag.com - A Gateway to Global Security Industry

The ACE application administers up to 32 serial connections, allowing 32 AMC2 ... access control with identification, authorization checks and data storage. ...
www.securityworldmag.com/tech/tech_view.asp?id=713&part_code=020150064&page=2 - 66k - Cached - Similar pages

Rob Osborne Sonu Aggarwal Leon Wong Peter Beebee Martin Calsyn ...

5.1.4 Notification delivery To request asynchronous callbacks, a Call-Back header is provided with the URL for the resource that will receive the callback. ...
search.cpan.org/src/DBROBINS/Net-RVP-0.02/docs/RVP_specification.txt - 95k - Cached - Similar pages

Net::LDAP::FAQ - Perl-LDAP

However if the pop_entry method is not used the callback approach can allocate a How do I add an ACI/ACL entry to a directory server with Perl-LDAP. ...
ldap.perl.org/FAQ.html - 56k - Cached - Similar pages

Windows storage and file system story volume partition directory ...

Alertable I/O is the method by which application threads process asynchronous ... If the queue contains callback function pointers, the kernel removes the ...
www.tenouk.com/Supplement.html - 123k - Cached - Similar pages

[PDF] ADEPT™ WFA Compliance Tester

File Format: PDF/Adobe Acrobat - View as HTML
Compliance Tester application installed. The installation includes a Tcl shell (version The variable ping_cb will contain the ping callback function. ...
oakendoor.com/oakendoor/documents/ADEPT-WFA-CT.pdf - Similar pages

[PDF] Configuration Guide

File Format: PDF/Adobe Acrobat - View as HTML
5.5.1 Dialer Int. PRI to BRI with D-channel-callback central-site22 username central privilege 0 password cleartext xsr ...
www.enterasys.com/support/xsr_config_guide_25.pdf - Similar pages

0 ERROR_SUCCESS The operation completed successfully. 1 ...

537 ERROR_VERIFIER_STOP Application verifier has found an error in the request could not be made because a callback function has not been set. ...
www.comp.nus.edu.sg/~wuyongzh/my_doc/win-error.txt - 253k - Cached - Similar pages

[PDF] Expert Support Style Guide

File Format: PDF/Adobe Acrobat
getList method. syntax, 48. using in an application, 109 callback (as in callback function). cannot. CD-ROM (plural: CD-ROMs). co<word>. co-edit ...
www.xs.com/pages/samples/ESStyleGuide.pdf - Similar pages

[PDF] Vigor 3100 Series Router User's Guide

File Format: PDF/Adobe Acrobat - View as HTML
Once enabled, the router will ONLY call back to the specified. Callback Number. Check to enable callback budget control-By default, the. callback function ...
www.drayerkir.com/download_action.php?p=RIRQL3VydW5sZXlyRFBWVRFBSyBWSjdPdUJlZMTAwifVTRVigTUFOVUFMLVYxLjAxL... - Similar pages

DMS -

3) Reference monitor database: user authorization files, rights database, ... For example, the owner of a sensitive file might create an ACL entry ...
bak.spc.org/dms/archive/vax-fcd.html - 25k - Cached - Similar pages

2 Oracle Collaboration Suite Applications Security

It pre-dates the ACE framework as the authentication method built into the server The call back function processes the events and inserts appropriate ...
docs.oracle.com/oracle/docs/B25553_01/collab.1012/b25494/midher.htm - 260k -
Cached - Similar pages

CodeProject: The Windows Access Control Model Part 1. Free source

Figure 7b: The SDDL string with the SID strings and ACE strings expanded to redirect any C-style callback into a member function using adapter objects ...
www.codeproject.com/KB/winsck/accessctrl1.aspx - 106k - Cached - Similar pages

[PDF] PRIMA Privilege Management and Authorization in Grid Computing ...

File Format: PDF/Adobe Acrobat - View as HTML
authorization call-out interface is specified. Together with members of a of any method of an object has to pass a "guard" function called "MayI". ...
scholar.lib.vt.edu/theses/available/eid-04192004-092304/unrestricted/dissertation-markus-lorch-2004-04-19.pdf - Similar pages

[PDF] CV OF THOMAS STUDER, MARCH 2006

File Format: PDF/Adobe Acrobat - View as HTML
Application/Portal Server, BEA WebLogic and JBoss application server environments.
Servlet model. 2 development. Java Authentication and Authorization ...
www.conjective.ch/files/CV-TS-MAR-2006-en.pdf - Similar pages

[PDF] ACE-Kx9D-VMU-EN.book Page i Monday, July 2, 2007 2:27 PM

File Format: PDF/Adobe Acrobat - View as HTML
Callback number . 2. Press. to erase the displayed number. 3. Enter a new number and press the left option. button. to select. OK . ACE-Kx9D-VMU-EN.book ...
www.virginmobileusa.com/phones/pdf/manual-VMKX9D.pdf - Similar pages

[GZIP] PaCkAgE DaTaStReAm Cherokee 1 3674 # end of header ...

File Format: Unrecognized
#endif #ifndef CHEROKEE_LOGGER_H #define CHEROKEE_LOGGER_H #include
#include #include #include CHEROKEE_BEGIN_DECLS /* Callback function definitions ...
[ftp://ftp.sunfreeware.com/pub/freeware/intel/10/cherokee-0.4.21-sol10-intel-local.gz](http://ftp.sunfreeware.com/pub/freeware/intel/10/cherokee-0.4.21-sol10-intel-local.gz) -
Similar pages

[DOC] Services in Windows Vista

File Format: Microsoft Word - View as HTML
Services typically run in a high-privilege account such as LocalSystem. They also provide the SCM with a pointer to a callback function. ...
download.microsoft.com/download/9/c/5/9c5b2167-8017-4bae-9fde-d59fbac8184a/Vista_Services.doc - Similar pages

C# click once application with report and reference to assembly

Oct 10, 2006 ... Hi, we have a C# click once application with a report. ... Error during the requirement of the type of authorization System.Security. ...
www.devnewsgroups.net/group/microsoft-public.dotnet.framework/topic54076.aspx - 20k -
Cached - Similar pages

SEC Info - Ace Comm Corp - S-1 - On 6/25/96 - EX-10.3

express authorization of the TSO. The performance data shall include, ... must be available for call out 24 hours per day/7 days per week/365 days per year. ...
www.secinfo.com/dRqWm.8CMy.a.htm - 135k - Cached - Similar pages

wer-weiss-was | "W2K, Service Pack 2" | aus Forum Windows NT/2000 ...
Q278046 Setting Callback Method Does Not Work Repeatedly Using DCOM ... Q292053
Can Change Expired Password Without Authorization When Using IAS or RRAS in ...

www.wer-weiss-was.de/theme119/article1310746.html - Similar pages

[PPT] [Global Internet/Intranet Access Service](#)

File Format: Microsoft Powerpoint - View as HTML

Can function as stand-alone server (RADIUS or TACACS compatible). Can also handle queries from a RADIUS server. ACE server software available for many ...

www.ceenet.org/workshops/lecture98/richard/presentations/2-radius.ppt - Similar pages

[Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)